From: Corbett, Kate (DPH)

**Sent:** Friday, October 30, 2009 11:44 AM

To: Barnes, Brendan (PLY)

**Subject:** RE: Def. , Brockton Superior Court, cert#

I figured that what you meant! See you on Monday

Kate Corbett Chemist II Drug Analysis Lab Dept of Public Health 305 South St. Jamaica Plain, MA 02130 phone (617) 983-6632 fax (617) 983-6625

From: Barnes, Brendan (PLY)

**Sent:** Friday, October 30, 2009 9:40 AM

**To:** Corbett, Kate (DPH)

**Subject:** RE: Def. Brockton Superior Court, cert#

...and by that I mean "yes" you are needed.

From: Corbett, Kate (DPH)

**Sent:** Friday, October 30, 2009 7:23 AM

**To:** Barnes, Brendan (PLY)

**Subject:** RE: Def. Brockton Superior Court, cert?

Hi Brendan,

I just wanted to check and see if you definitely still need Dan and I for Monday? If you do could you please fax over new subpoenas?

Thanks,

Kate Corbett Chemist II Drug Analysis Lab Dept of Public Health 305 South St. Jamaica Plain, MA 02130 phone (617) 983-6632 fax (617) 983-6625

From: Barnes, Brendan (PLY)

Sent: Tuesday, October 27, 2009 2:58 PM

To: Corbett, Kate (DPH)

**Subject:** RE: Def. Brockton Superior Court, cert#

1

its an old crappy building but we can make arrangements.

From: Corbett, Kate (DPH)
Sent: Tue 10/27/2009 1:24 PM
To: Barnes, Brendan (PLY)

Subject: RE: Def. Brockton Superior Court, cert#

Hi Brendan,

This is kind of an awkward thing to ask but I am currently testify tomorrow. Would it be possible to get some type of a second reconstruction of the control of the control

Thanks,

Kate Corbett Chemist II Drug Analysis Lab Dept of Public Health 305 South St. Jamaica Plain, MA 02130 phone (617) 983-6632 fax (617) 983-6625

From: Barnes, Brendan (PLY)

**Sent:** Monday, October 26, 2009 11:36 AM

To: Renczkowski, Daniel (DPH); Corbett, Kate (DPH)

**Subject:** Def. Brockton Superior Court, cert#

Hello,

This case is again set for trial on this Wednesday, 10-28 in the 2nd session. Summonses were faxed last week. Can you take a look at your availability.

Thanks Brendan